

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("4929902" "6538452").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 15:20
L2	7	((determin\$4 detect\$4 find\$3) near3 (state) near3 (jack)) and (resistor\$1 resistance)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 15:34
L3	14	((determin\$4 detect\$4 find\$3) near3 (state) near3 (jack)) and (switch\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 15:45
L4	7	3 not 2	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 15:43
L5	3	((jack\$1) same (switch\$4) same (resistanc\$4)).clm.	US-PGPUB	OR	OFF	2006/02/01 15:45
L6	1	((determin\$4 detect\$4 find\$3) near3 (state) near3 (jack)).clm.	US-PGPUB	OR	OFF	2006/02/01 15:50
L8	2	("5050214" "6763087").pn.	US-PGPUB; USPAT	OR	OFF	2006/02/01 15:55
S1	1	(status with (phone-jack\$1 (phone adj jack\$1))).ti.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 09:26
S2	5	("20030025516" "5886530" "6201383" "6590374" "6750643").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/16 15:24
S3	1	("20030025516" "5886530" "6201383" "6590374" "6750643").PN. and jack\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/16 15:24
S4	3	("4575588" "5847557" "6039732").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 15:55
S5	7	324/66-67.ccls. and (jack\$1 near4 (status detect\$3 determin\$3 state\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 16:10
S6	78	"324"/\$.ccls. and (jack\$1 near4 (status detect\$3 determin\$3 state\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 16:56
S7	1	("6069960").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 16:21

S8	440	((multiple multi plural plurality two many dual) near3 jack\$1) with (status detect\$3 determin\$3 state\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 17:25
S9	124	((multiple multi plural plurality two many dual) near3 jack\$1) with (status detect\$3 determin\$3 state\$1) and terminal	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 17:25
S10	81	324/66-67,538,555.ccls. and (jack and control)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 08:50
S11	109	324/66-67,538,555.ccls. and (jack\$1 and control\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 09:03
S12	53	S11 and capacitor\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 08:51
S13	8	324/66-67,538,555.ccls. and ((phone near3 jack\$1) and control\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 09:05
S14	1	"5714934".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 09:05
S15	1	("5714934").URPN.	USPAT	OR	OFF	2005/05/17 09:08
S16	0	"10776536"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 09:08
S17	1	"10/776536"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 09:09
S18	276	(jack with (detector detect\$3)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:28
S19	2	"20030139204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:28

S20	1	"20030139204"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 16:34
S21	20	("20020010005" "20020016188" "20020021800" "20030052964" "20030100331" "20030165237" "20040077382" "20040209649" "5448477" "5619684" "5638343" "5978689" "6002558" "6263218" "6397087" "6473629" "6500006" "6594363" "6690793" "6812954").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/17 16:36
S22	298	(jack\$1 near4 (status detect\$3 determin\$3 state\$1)) and (capacitor)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 16:59
S23	1656	((jack\$1 plug\$1) near4 (status detect\$3 determin\$3 state\$1)) and (capacitor)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 16:59
S24	14	S23 and (324/66,537,538.ccls.)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 16:59
S25	34	324/537,538,756.ccls. and ((plug\$1 jack\$1) with resistor\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 11:44
S26	1	"5847557".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 11:30
S27	21	324/66,67,537,538,756.ccls. and ((plug\$1 jack\$1) with (filter\$3 capacitor\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 12:17
S28	26	379/20.ccls. and (jack\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 12:19
S29	62	379/20.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 13:32
S30	46	379/20,21,27.01,442.ccls. and ((jack\$1 connector\$1 plug\$1) near4 (status detect\$3 determin\$3 state\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 16:39
S31	1	"20040108845"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 13:52

S32	402	"379"/\$.ccls. and (((jack\$1 connector\$1 plug\$1) near4 (status detect\$3 determin\$3 state\$1)) same (control controller microprocessor controlling))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 14:41
S33	392	S32 not S30	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 14:46
S34	12	S33 and (adjust\$4 near3 (resistor\$1 resistance))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 14:42
S35	381	S33 and switch\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 14:51
S36	22	381/58-60,74.ccls. and ((jack\$1 connector\$1 plug\$1) near4 (status detect\$3 determin\$3 state\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 18:32
S37	3	("4433209" "5642424" "6397087").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 16:42
S38	32	"381"/\$.ccls. and (((jack\$1 connector\$1 plug\$1) near4 (status detect\$3 determin\$3 state\$1)) with (control\$1 controlling controller))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 17:43
S39	14	("4335281" "4481382" "4524461" "4591661" "4634816" "4658242" "4720857" "5117461" "5341254" "5369857" "5655025" "5822406" "5910991" "5978689").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/18 18:30
S40	1	369/1.ccls. and ((jack\$1 connector\$1 plug\$1) near4 (status detect\$3 determin\$3 state\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 18:30
S41	75	("324"/\$.ccls. or "379"/\$.ccls. or "381"/\$.ccls.) and ((jack\$1 connector\$1 plug\$1) with ((adjustable adjust\$3) near3 (resistor\$1 impedance)))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/19 09:36
S42	6	455/564.ccls. and ((jack\$1 connector\$1 plug\$1) near4 (status detect\$3 determin\$3 state\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/18 18:32

S43	75	("324"/\$.ccls. or "379"/\$.ccls. or "381"/\$.ccls.) and ((jack\$1 connector\$1 plug\$1) with ((adjustable adjust\$3) near3 (resistor\$1 impedance)))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/19 10:00
S44	1	"20040108845"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/19 10:51
S45	1	"20030139204"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/19 14:47
S46	1	"6763087".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/19 15:10
S47	1	"5050214".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/19 16:20
S48	4	("5847557" "4600810" "6397087").pn. "20030139204"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/19 16:21
S49	1	"20040108845"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 09:48
S50	1	"5050214".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 10:02
S51	1	"6763087".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 10:16
S52	3	("6201383" "5886530" "6750643").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 10:20
S53	1	("20030025516" "5886530" "6201383" "6590374" "6750643").PN. and ((adjustable variable) near3 (impedanc\$3 resist\$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 10:22
S54	1	"4471298".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 10:23

S55	861	((status state unplug unplugged plug plugged) near3 (jack jacks)) and ((adjustable variable) near3 (impedanc\$3 resist\$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 10:25
S56	115	S55 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 10:24
S57	7	((determin\$3 detect\$3 verify) near3 (status state unplug unplugged plug plugged) near3 (jack jacks)) and ((adjustable variable) near3 (impedanc\$3 resist\$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 11:45
S58	482	"324"/\$.ccls. and (jack jacks) and ((adjustable variable) near3 (impedanc\$3 resist\$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 11:14
S59	17	"324"/\$.ccls. and (jack jacks) and (((adjustable variable) near3 (impedanc\$3 resist\$4)) with (bias with resist\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 11:17
S60	152	((determin\$3 detect\$3 verify) near3 (status state unplug unplugged plug plugged) near3 (jack jacks))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 13:18
S61	42	S60 and (jack\$1 near3 switch\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 13:19
S62	29	S61 and resist\$4	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/10/31 13:26